


THERMOCOUPLE WITH STRAIGHT T/W



T-657

Termination Style	<input type="text"/>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>C</td><td>Connection Head IP-67</td></tr> <tr><td>M</td><td>Miniature Head</td></tr> <tr><td>D</td><td>Double entry Head IP-65</td></tr> <tr><td>E</td><td>Ex. Proof Head-IIA/IIIB</td></tr> <tr><td>P</td><td>Plastic Head</td></tr> <tr><td>Other</td><td>Consult Factory</td></tr> </table>	C	Connection Head IP-67	M	Miniature Head	D	Double entry Head IP-65	E	Ex. Proof Head-IIA/IIIB	P	Plastic Head	Other	Consult Factory		
C	Connection Head IP-67															
M	Miniature Head															
D	Double entry Head IP-65															
E	Ex. Proof Head-IIA/IIIB															
P	Plastic Head															
Other	Consult Factory															
Junction Style	<input type="text"/>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>GN</td><td>Grounded Rounded Tip</td></tr> <tr><td>UN</td><td>Ungrounded Rounded Tip</td></tr> </table>	GN	Grounded Rounded Tip	UN	Ungrounded Rounded Tip										
GN	Grounded Rounded Tip															
UN	Ungrounded Rounded Tip															
Sheath "OD"	<input type="text"/>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>A</td><td>Ø3mm</td></tr> <tr><td>B</td><td>Ø4.5mm</td></tr> <tr><td>C</td><td>Ø6mm</td></tr> <tr><td>Ø</td><td>Ø8mm</td></tr> </table>	A	Ø3mm	B	Ø4.5mm	C	Ø6mm	Ø	Ø8mm						
A	Ø3mm															
B	Ø4.5mm															
C	Ø6mm															
Ø	Ø8mm															
Sheath Material	<input type="text"/>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>A</td><td>SS 316</td></tr> <tr><td>B</td><td>SS 304</td></tr> <tr><td>Other</td><td>Consult Factory</td></tr> </table>	A	SS 316	B	SS 304	Other	Consult Factory								
A	SS 316															
B	SS 304															
Other	Consult Factory															
T/W OD X ID :	<input type="text"/>															
T/W Material	<input type="text"/>	SOLID SINTERED TUNGSTON CARBIDE														
N/U/N	<input type="text"/>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>A</td><td>1/2" SCH 80</td></tr> <tr><td>B</td><td>1/2" SCH 40</td></tr> <tr><td>Other</td><td>Consult Factory</td></tr> </table>	A	1/2" SCH 80	B	1/2" SCH 40	Other	Consult Factory								
A	1/2" SCH 80															
B	1/2" SCH 40															
Other	Consult Factory															
Process Connection	<input type="text"/>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td rowspan="5">Threads</td><td>1/4"</td></tr> <tr><td>1/2"</td></tr> <tr><td>3/4"</td></tr> <tr><td>3/8"</td></tr> <tr><td>1"</td></tr> <tr><td rowspan="3">B.S.P. / N.P.T.</td><td>1 1/4"</td></tr> <tr><td>1 1/2"</td></tr> <tr><td>2"</td></tr> <tr><td rowspan="2">M-Thread</td><td>M20X1.5, M18X1.5, M33X2</td></tr> <tr><td>Other</td><td>Consult Factory</td></tr> </table>	Threads	1/4"	1/2"	3/4"	3/8"	1"	B.S.P. / N.P.T.	1 1/4"	1 1/2"	2"	M-Thread	M20X1.5, M18X1.5, M33X2	Other	Consult Factory
Threads	1/4"															
	1/2"															
	3/4"															
	3/8"															
	1"															
B.S.P. / N.P.T.	1 1/4"															
	1 1/2"															
	2"															
M-Thread	M20X1.5, M18X1.5, M33X2															
	Other	Consult Factory														
Inst. Connection	<input type="text"/>															
Insertion Length (I.L.)	<input type="text"/>															
Extension Length (E.L.)	<input type="text"/>															
Nominal Length of T/C "L"	<input type="text"/>															

Temperature Sensor Technology